

Product Data Sheet „motion sprint 600-SE med“



name of machine:	motion sprint 600-SE med
manufacturer:	Sprintex Trainingsgeräte GmbH
part number:	F-MED-ML-600
monitor:	E900- monitor with casing, display and overlay
power range:	0-17 km/h in 0,1 km/h steps
motor system:	brushless 1100W DC-Motor, tooth belt controlled lamella system
applied standards:	DIN EN 20957-1, DIN EN 957-6, DIN EN 60601-1, DIN EN 60601-1-2/Safety Class Power supply: 230V/50-60 Hz/EEC, separate fuse required
classification:	93/42 EEC class IIa
usage class:	S, I following DIN EN ISO 20957-1
accuracy class:	A (high accuracy) following DIN EN ISO 20957-1
ambient conditions:	humidity <80 %; ambient temperature 0-45°C
display (resolutions):	LCD and Dot Matrix Display with following parameters: program number (1-10); time (00:00); pulse (optional); watt (1-999 in 1 watt-steps); km/h (0,1-99,9); km (in meter 1-999), after that in 10m-steps 1,00-99,99) ; k-cal (0,0-999,9); level (1-21)
pulse measurement:	coded Polar® receiver, earpulse optional
interfaces:	standard: RS232-interface, chipcard system optional: galvanically isolated RS232-interface, RFID, NFC, wireless network. Please consult on individual settings/needs in time.
programs:	standard: Quick, Watt, Pulse optional: Watt sensitive, Therapy, Interval, Calorie, Hill, Random, Distance
maximum user weight:	standard: 150 kg optional: 250 kg
measurements:	ca. 173 x 76 x 145 cm (l/w/h)
net weight:	ca. 149 kg
gross weight:	ca. 2182-254 kg (depending packaging and mode of transport)

Weight and dimensions may differ depending on accessories.

Frame colour depending on individual specifications.

Technical changes reserved.

Warning: Only authorized service staff is allowed to open the unit.

If you need further information please refer to user manual.

(Issued: May 2021)